

Technical sheet

LINZ occupational sandal

Product code: 3995-OB



upper	cowhide leather in a thickness of 1,6 - 1,8 mm
lining	without lining
inner insole	anatomically shaped PHYLON
outsole	EVA/RUBBER - glued construction
size	36 - 41
standard	EN ISO 20347:2022
version	OB E SR - without toe cap

Properties

PL Midsole penetration protection nonmetallic - PL	No
PS Midsole penetration protection nonmetallic - PS	No
SR Antislip prop. on ceramic with glycerol	Yes
WPA Water resistant upper	No
HRO Resist. of the outsole against contact heat	No
WR Water resistant	No
WRU Water resistant upper	No
CI Insulation against cold	No
HI Insulation of the outsole against heat	No
FO Resist. of the outsole against fuel oils	No
P Midsole penetration protection	No
E Energy absorption in the heel area	Yes
M Instep protection	No
A Antistatic properties	No
AN Ankle protection	No
CR Cut resistant upper	No
SRA Antislip prop. on ceramic tile with SLS	No
SRB Antislip prop. on smooth steel with glycerol	No
SRC Antislip resistance SRA + SRB	No
Free-tex Membrane	No
Michelin Michelin® sole	No
BOA BOA Fit System	No
NON-METALIC Footwear without metal parts	No
ESD antistatic properties ESD	No
Winter Winter footwear	No
ANTICUT Anti-cut boots	No
Standard	20347:2023
Shoe marking	OB

Logistics parameters

Velikost	Net weight	Gross weight	Sales box - width	Sales box - length	Sales box - height	Group packaging - width	Group packaging - length	Group packaging - height	Group packaging - weight	Vnitřní délka obuvi
36	0,41 kg	0,64 kg	200 mm	300 mm	110 mm	420 mm	570 mm	320 mm	7,00 kg	237,7 mm
37	0,43 kg	0,65 kg	200 mm	300 mm	110 mm	420 mm	570 mm	320 mm	7,20 kg	244,3 mm
38	0,45 kg	0,67 kg	200 mm	300 mm	110 mm	420 mm	570 mm	320 mm	7,40 kg	251,0 mm
39	0,48 kg	0,70 kg	200 mm	300 mm	110 mm	420 mm	570 mm	320 mm	7,80 kg	257,7 mm
40	0,51 kg	0,75 kg	210 mm	320 mm	115 mm	435 mm	600 mm	340 mm	8,40 kg	264,3 mm
41	0,53 kg	0,76 kg	210 mm	320 mm	115 mm	435 mm	600 mm	340 mm	8,60 kg	271,0 mm

Business parameters

Tarric	64039993
Country	CN
Weight	1,03 kg
Add Unit	NPR
Add Quantity	1